




## VBT Timber Venetian Blind System


### Features and benefits

- Patent pending cord to slat fixing ensuring maximum privacy and tightest slat closure
- Robust steel headbox
- Choice of 50mm and 63mm slat widths
- Matching timber pelmet conceals headbox
- Colour co-ordinated cords
- Option of decorative lift tapes




### Fixing brackets


#### End bracket




#### Top fix




#### Face fix




#### Side fix




#### Supporting bracket




#### Top fix



#### Side fix




Hold down bracket  
➤ Secures the blind in 'down' position




### Bottom bar profile


#### For 50mm slat



#### For 63mm slat




### Cord safety





## Pelmet and pelmet brackets

Valence clip (plug)




Valence clip (receptor)



## Privacy mechanism


Cord is fixed through hole at the back of the slat ensuring no visible holes when slats are closed.

Slats close together tightly. Only available with ladder braids not cord or decorative tapes.



## Ladder tapes


25mm wide ladder tapes in lieu of ladder strings available in a variety of colours and designs




## Size parameters

**Stain finish**  
min width: 200mm  
max. width: 2040mm  
max. drop: 3045mm

**Paint finish**  
min width: 200mm  
max. width: 3045mm  
max. drop: 3045mm



## Slat stack heights



Size of slat	Order height (mm)														
	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600	1700		
50mm	127.8	138.1	148.3	158.5	168.8	179.0	189.2	199.4	209.7	219.9	230.1	240.3	250.6		
63mm	134.1	143.6	153.1	162.5	172.0	181.5	191.0	200.5	210.0	219.4	228.9	238.4	247.9		

Size of slat	Order height (mm)														
	1800	1900	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000		
50mm	260.8	271.0	281.3	291.5	301.7	311.9	322.2	332.4	342.6	352.8	363.1	373.3	383.5		
63mm	257.4	266.9	276.3	285.8	295.3	304.8	314.3	323.8	333.2	342.7	352.2	361.7	371.2		

CAD details available at [www.waverley.co.uk](http://www.waverley.co.uk)



This publication is based on the latest data available at the time of printing. Due to product changes, improvements and other factors, the Company reserves the right to change or withdraw information contained herein without prior notice. The photography shown in the document should not necessarily be taken as recommendations of good practice. The printing process restricts the exact representation of colours. For true colour reference, please request product samples.



### Slat choice

Slats are made from solid basswood and there are a choice of 19 different stain finishes and 14 solid colours as standard. There are also custom colour palettes available including Farrow and Ball, Paint and Paper Library and English Heritage.

### Maintenance

ShadeTech® Timber Venetian Blinds are made from high quality materials and minimal maintenance is required. Slats should be cleaned with dusted or wiped with a damp cloth.

### Quality and Guarantee

ShadeTech® Timber Venetian Blinds are manufactured and installed in accordance with a quality system certified under ISO9001:2008. They are rigorously tested to guarantee trouble free operation and are designed with Health and Safety in mind. They carry a 3 year guarantee.

### Basic specification wording

*ShadeTech® Timber Venetian Blind System*  
**VBT:** 59 x 40mm headbox with matching timber valance. Slats to be [50/63mm] solid basswood in [stain/paint colour ref]. Blind to be raised and lowered by cord pull with [colour matched ladder braids with unique operation method to improve privacy and room darkening] [decorative 25mm ladder tapes].

Blinds to be supplied and installed by Waverley Contract and Supply Ltd., Rowan House, Guildford Road Trading Estate, Farnham, Surrey, UK, GU9 9PZ, Tel 01252 737973, E-mail [sales@waverley.co.uk](mailto:sales@waverley.co.uk)

**Do not hesitate to contact us on 01252 737973 for assistance with specification wording for the blinds to suit your project. Specifications available on NBS Plus.**